## FACTS for FAMILIES

No. 17 December 2011

## **Children of Alcoholics**

One in five adult Americans have lived with an alcoholic relative while growing up. These children are in general at greater risk for having emotional problems than children whose parents are not alcoholics. Alcoholism runs in families, and children of alcoholics are four times more likely than other children to become alcoholics themselves. Compounding the psychological impact of being raised by a parent who is suffereing from alcohol abuse is the fact that most children of alcoholics have experienced some form of neglect or abuse.

A child being raised by a parent or caregiver who is suffering from alcohol abuse may have a variety of conflicting emotions that need to be addressed in order to avoid future problems. They are in a difficult position because they cannot go to their own parents for support. Some of the feelings can include the following:

- <u>Guilt</u>. The child may see himself or herself as the main cause of the mother's or father's drinking.
- <u>Anxiety</u>. The child may worry constantly about the situation at home. He or she may fear the alcoholic parent will become sick or injured, and may also fear fights and violence between the parents.
- <u>Embarrassment</u>. Parents may give the child the message that there is a terrible secret at home. The ashamed child does not invite friends home and is afraid to ask anyone for help.
- <u>Inability to have close relationships</u>. Because the child has been disappointed by the drinking parent many times, he or she often does not trust others.
- <u>Confusion</u>. The alcoholic parent will change suddenly from being loving to angry, regardless of the child's behavior. A regular daily schedule, which is very important for a child, does not exist because bedtimes and mealtimes are constantly changing.
- <u>Anger</u>. The child feels anger at the alcoholic parent for drinking, and may be angry at the non-alcoholic parent for lack of support and protection.
- <u>Depression</u>. The child feels lonely and helpless to change the situation.

Although the child tries to keep the alcoholism a secret, teachers, relatives, other adults, or friends may sense that something is wrong. Teachers and caregivers should be aware that the following behaviors may signal a drinking or other problem at home:

- Failure in school; truancy
- Lack of friends; withdrawal from classmates
- Delinquent behavior, such as stealing or violence
- Frequent physical complaints, such as headaches or stomachaches

## Children of Alcoholics, "Facts for Families," No. 17 (12/11)

- Abuse of drugs or alcohol; or
- Aggression towards other children
- Risk taking behaviors
- Depression or suicidal thoughts or behavior

Some children of alcoholics may cope by taking the role of responsible "parents" within the family and among friends. They may become controlled, successful "overachievers" throughout school, and at the same time be emotionally isolated from other children and teachers. Their emotional problems may show only when they become adults.

It is important for relatives, teachers and caregivers to realize that whether or not the parents are receiving treatment for alcoholism, these children and adolescents can benefit from educational programs and mutual-help groups such as programs for children of alcoholics, Al-Anon, and Alateen. Early professional help is also important in preventing more serious problems for the child, including reducing risk for future alcoholism. Child and adolescent psychiatrists can diagnose and treat problems in children of alcoholics. They can also help the child to understand they are not responsible for the drinking problems of their parents and that the child can be helped even if the parent is in denial and refusing to seek help.

The treatment program may include group therapy with other youngsters, which reduces the isolation of being a child of an alcoholic. The child and adolescent psychiatrist will often work with the entire family, particularly when the alcoholic parent has stopped drinking, to help them develop healthier ways of relating to one another.

For additional information see Facts for Families:

#5 Child Abuse #4 The Depressed Child #3 Teens: Alcohol And Other Drugs #68 Tobacco And Kids #33 Conduct Disorder Al-Anon Family Group (800) 356-9996

See also: Your Child (1998 Harper Collins) / Your Adolescent (1999 Harper Collins)

If you find *Facts for Families*<sup>©</sup> helpful and would like to make good mental health a reality, consider donating to the <u>Campaign for America's Kids</u>. Your support will help us continue to produce and distribute Facts for Families, as well as other vital mental health information, free of charge.

You may also mail in your contribution. Please make checks payable to the AACAP and send to *Campaign for America's Kids*, P.O. Box 96106, Washington, DC 20090.

The American Academy of Child and Adolescent Psychiatry (AACAP) represents over 8,500 child and adolescent psychiatrists who are physicians with at least five years of additional training beyond medical school in general (adult) and child and adolescent psychiatry.

## Children of Alcoholics, "Facts for Families," No. 17 (12/11)

Facts for Families® information sheets are developed, owned and distributed by the American Academy of Child and Adolescent Psychiatry (AACAP) and are supported by a grant from the Klingenstein Third Generation Foundation. Hard copies of Facts sheets may be reproduced for personal or educational use without written permission, but cannot be included in material presented for sale or profit. All Facts can be viewed and printed from the AACAP website (www.aacap.org). Facts sheets many not be reproduced, duplicated or posted on any other Internet website without written consent from AACAP. Organizations are permitted to create links to AACAP's website and specific Facts sheets. To purchase complete sets of Facts for Families, please contact the AACAP Circulation Clerk at 800.333.7636, ext. 131.

Copyright © 2011 by the American Academy of Child and Adolescent Psychiatry.