FACTS for FAMILIES

No. 23

(Updated July 2004)

CHILDREN WHO ARE MENTALLY RETARDED

The term "mental retardation" is often misunderstood and seen as derogatory. Some think that retardation is diagnosed only on the basis of below-normal intelligence (IQ), and that persons with mental retardation are unable to learn or to care for themselves. Actually, in order to be diagnosed as a person with mental retardation, the person has to have <u>both</u> significantly low IQ <u>and</u> considerable problems in everyday functioning. Most children with mental retardation can learn a great deal, and as adults can lead at least partially independent lives. Most individuals with mental retardation have only the mild level of mental retardation. Mental retardation may be complicated by several different physical and emotional problems. The child may also have difficulty with hearing, sight, or speech.

In the past, parents were often advised to institutionalize a child with significant mental retardation. Today, the goal is to help the child with mental retardation stay in the family and take part in community life. In most states, the law guarantees them educational and other services at public expense.

It is very important that the child has a comprehensive evaluation to find out about his or her strengths and needs. Since no specialist has all the necessary skills, many professionals might be involved. General medical tests as well as tests in areas such as neurology (the nervous system), psychology, psychiatry, special education, hearing, speech and vision, and physical therapy are useful. A pediatrician or a child and adolescent psychiatrist often coordinates these tests.

These physicians refer the child for the necessary tests and consultations, put together the results, and jointly with the family and the school develop a comprehensive treatment and education plan.

Emotional and behavioral disorders may be associated with mental retardation, and they may interfere with the child's progress. Most children with mental retardation recognize that they are behind others of their own age. Some may become frustrated, withdrawn or anxious, or act "bad" to get the attention of other youngsters and adults. Adolescents and young adults with mental retardation may become depressed. These persons might not have enough language skills to talk about their feelings, and their depression may be shown by new problems, for instance in their behavior, eating and sleeping.

Children Who Are Mentally Retarded, "Facts for Families," No. 23 (7/04)

Early diagnosis of psychiatric disorders in children with mental retardation leads to early treatment. Medications can be helpful as one part of overall treatment and management of children with mental retardation.

Periodic consultation with a child and adolescent psychiatrist may help the family in setting appropriate expectations, limits, opportunities to succeed, and other measures which will help their child with mental retardation handle the stresses of growing up.

For additional information see Facts for Families:

#69 Asperger's Disorder,

#21 Psychiatric Medications for Children,

#45 Lead Exposure in Children Affects Brain and Behavior,

#11 The Child With Autism, and

#16 Children with Learning Disabilities.

See also: Your Child (1998 Harper Collins)/Your Adolescent (1999 Harper Collins).

###

If you find *Facts for Families*[©] helpful and would like to make good mental health a reality for all children, please consider donating to the <u>Campaign for America's Kids</u>. Your support will help us continue to produce and distribute *Facts for Families*, as well as other vital mental health information, free of charge.

You may also mail in your contribution. Please make checks payable to the AACAP and send to *Campaign for America's Kids*, P.O. Box 96106, Washington, DC 20090.

The American Academy of Child and Adolescent Psychiatry (AACAP) represents over 7,000 child and adolescent psychiatrists who are physicians with at least five years of additional training beyond medical school in general (adult) and child and adolescent psychiatry.

Facts for Families[©] information sheets are developed, owned and distributed by the American Academy of Child and Adolescent Psychiatry (AACAP) and are supported by a grant from the Klingenstein Third Generation Foundation. Hard copies of *Facts* sheets may be reproduced for personal or educational use without written permission, but cannot be included in material presented for sale or profit. All *Facts* can be viewed and printed from the AACAP Web site (www.aacap.org). *Facts* sheets many not be reproduced, duplicated or posted on any other Internet Web site without written consent from AACAP. Organizations are permitted to create links to AACAP's Web site and specific *Facts* sheets. To purchase complete sets of *Facts for Families*, please contact the AACAP's Development and Communications Assistant at 800.333.7636, ext. 140.

Copyright[®] 2006 by the American Academy of Child and Adolescent Psychiatry